

A premium UK-made cladding product which is changing the face of cladding as we know it.

Species	Oak Look
Sustainability	Environmentally Friendly
Grade	Prime
Texture	Brushed



COLLECTION

Envello cladding has been hand-moulded from carefully selected natural timbers and hand-coloured by our master craftsmen. Envello provides an unmistakably organic look that only requires an occasional clean to preserve its beauty.

From the clean finish of the Shadow Line+ to the profiled grain variance of the Board & Batten+, there's an Envello Cladding option for every property type.

Years of development means this product is designed to stand the test of time. The boards lock together with a specially designed tongue and groove for added rigidity and increased installation speed. The tongue and groove has been profiled with a relief angle to allow the boards to curve when used vertically, as well as limiting the passage of air and water through the system. The tongue of the board features a notch which the fixings are aligned with, the next board then covers over the fixing creating a clean finish. The distinctive chamfered cut of the profiles also enables the rain to naturally clean the boards, reducing the need for manual cleaning or treatment.

Both profiles of boards can be installed horizontally or vertically, depending on the nature of the design.



Millboard Envello Cladding is available in two profiles which can be installed horizontally or vertically.

MILLBOARD ENVELLO CLADDING BOARD AND BATTEN

Thickness	26mm
Width	200mm (181mm installed width, 5mm overlap)
Length	3600mm
Construction	Composite
CROSS SECTIONS Cladding Board	
Facia/Reveal Board	
Square Corner Trim	

MILLBOARD ENVELLO CLADDING SHADOW LINE

Thickness	18mm
Width	200mm (181mm installed width, 5mm overlap)
Length	3600mm
Construction	Composite

CROSS SECTIONS

Cladding Board	7
Facia/Reveal Board	
Internal Corner Profile	
External Corner Profile	

SHADOW LINE LIMED OAK SHADOW LINE SMOKED OAK SHADOW LINE GOLDEN OAK SHADOW LINE ANTIQUE OAK SHADOW LINE BURNT CEDAR **BOARD & BATTEN SMOKED OAK** BOARD & BATTEN GOLDEN OAK BOARD & BATTEN ANTIQUE OAK **BOARD & BATTEN BURNT CEDAR**



Format	Grade	Code	Format	Grade	Code
ENVELLO LIMED OAK			ENVELLO ANTIQUE OAK		
Shadow Line	Prime	ESL-L	Shadow Line	Prime	ESL-A
Fascia	Prime	ERB-L	Board & Batten	Prime	EBB-A
Internal Corner Profile	Prime	EIC-L	Fascia	Prime	ERB-A
External Corner Profile	Prime	EEC-L	Internal Corner Profile	Prime	EIC-A
			External Corner Profile	Prime	EEC-A
ENVELLO GOLDEN OAK			_		
Shadow Line	Prime	ESL-G	ENVELLO BURNT CEDAR	1	
Board & Batten	Prime	EBB-G	Shadow Line	Prime	ESL-BC
Fascia	Prime	ERB-G	Board & Batten	Prime	EBB-BC
Internal Corner Profile	Prime	EIC-G	Fascia	Prime	ERB-BC
External Corner Profile	Prime	EEC-G	Internal Corner Profile	Prime	EIC-BC
			External Corner Profile	Prime	EEC-BC

Shadow Line

Fascia

Board & Batten

Internal Corner Profile

External Corner Profile

Prime

Prime

Prime

Prime

Prime

ESL-S

EBB-S

ERB-S

EIC-S

EEC-S

PRODUCT DETAILS

Species	Oak Look
Origin	United Kingdom
Grade	Prime or Reclaimed (Moulded from Real Timber)
Thickness	18mm & 26mm
Construction	Composite
Core	Resin Mineral Composition
Surface Texture	Brushed
Finish	Lastane®
Surface Sheen	Matte

INSTALLATION

Method	Hidden Screw Fixing to Batten
Applications	Exterior Cladding/Other
Usage Classes	Residential/Commercial

STRUCTURAL WARRANTY

Residential	15 Years
Commercial	15 Years

SUSTAINABILITY

Yes
Verified (manufacturer) - 430g /CO2e per m ²
Compliant (manufacturer)
Yes
IFICATIONS
Fire rated to Euroclass D (BS EN13501-1)
261mg

FORMALDEHYDE EMISSION

EN/1/-1 E1
EN/1/-1 E1

Find us on Masterspec View Collection



