MILLBOARD DECKING

Weathered Oak

Built to endure the elements. Low maintenance with the look of real wood, designed to ensure you have more time for outdoor living.



WEATHERED OAK DECKING SPECIFICATION SHEET LAST UPDATED NOVEMBER 2025 [2]

RESPONSIBILITY AND DISCLAIMER

Important Information - Read before specifying.

This Specification Sheet is provided as a general reference to assist architects, engineers and other building professionals. It has been developed based on the testing conducted by Millboard on the Millboard Exterior Decking System and the knowledge and consideration of the current construction practises being followed in the industry. It is not an exhaustive specification.

The specifier (or other party responsible for the project) must:

- Verify that the Millboard Exterior Decking System is suitable for the intended use and site conditions.
- Ensure the final design complies with the New Zealand Building Code (NZBC), CodeMark certificate and all other applicable laws and standards.
- Complete any additional detailing required for aspects outside the scope of this guide. Advice on this is available from Forté.

Failure to comply with the above, or to use the most up-to-date technical literature, may compromise the Millboard Exterior Decking System performance, breach statutory obligations and void the Forté product warranty.

Responsibility for the design lies with the specifier or responsible party for the project to ensure the final design meets the requirements of the intended application and the New Zealand Building Code (NZBC).

Limitation of Liability

Except for the express terms of any written Forté warranty that cannot be excluded by law, Forté disclaims all warranties, conditions and liabilities (whether direct, indirect, consequential or otherwise) arising from the use of, or reliance on, this document. To the maximum extent permitted by law, Forté is not liable for loss, damage or injury whatsoever resulting from such use or reliance. Independent professional advice should be obtained for any design matters not expressly covered here.



[3] WEATHERED OAK DECKING SPECIFICATION SHEET LAST UPDATED NOVEMBER 2025

NZBN: 9429037322212

OVERVIEW

BUILDING MATERIALS

Designated Building Product: Class 1		Product Use Limitations	Relevant Guides and Manuals	
DECLARATION	Forté has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.	Millboard Decking as per the Product Assurance Supplier Statement (PASS) is designed for outdoor use as non-structural external decking. For more information on limitations of use, please refer to 'Scope and Limitations of Use' in the Millboard Product Assurance Supplier Statement (PASS).	Design Guide Installation Guide Care & Maintenance Guide All Resources	
Relevant NZBC Clauses	S	Compliance Statement	Manufacturer & Importer	
CLAUSE B1 STRUCTURE	Alternative Solution – Clauses B1.3.1, B1.3.2, B1.3.3 (a,b,c,e,f,j,m,q)	Millboard Product Assurance Supplier Statement (PASS)	Innovate Group Limited T/A Forté 3 Keith Place	
CLAUSE B2 DURABILITY	' Alternative Solution – Clauses B2.3.1 (b)		Pukekohe, Auckland 2120 New Zealand	
CLAUSE D1 ACCESS	Alternative Solution – Clauses D1.3.3 (d)		info@forte.co.nz	
ROUTES	, i.i.o	W	0508 35 66 77	
		Warning or Ban (Building Act 2004 section 26)	www.forte.co.nz	
CLAUSE F2 HAZARDOU	S Alternative Solution – Clauses F3.2.1		N7BN: 9429037322212	

Not applicable



WEATHERED OAK DECKING SPECIFICATION SHEET

LAST UPDATED NOVEMBER 2025 [4

SPECIFICATIONS

Construction	
CONSTRUCTION	Resin Mineral Board
CORE	Polymer Resin Core

Characteristics	
SURFACE TEXTURE	Authentic Oak Texture Moulded From Genuine Oak
SURFACE FINISH TYPE	Lastane® Surface

Accreditations	
SUSTAINABILITY	Environmentally Friendly
PASS CERTIFICATE	Yes

Pack Information


PIECES PER PACK	1 Plank
M2 PER UNIT	9.2kg
UNIT WEIGHT	12.5kg



WEATHERED OAK DECKING SPECIFICATION SHEET

LAST UPDATED NOVEMBER 2025 [5]

PROFILE



WEATHERED OAK DECKING SPECIFICATION SHEET

LAST UPDATED NOVEMBER 2025 [6]

COLOURS







DRIFTWOOD OAK

VINTAGE OAK

EMBERED OAK

WEATHERED OAK DECKING SPECIFICATION SHEET

LAST UPDATED NOVEMBER 2025 [7]

PRODUCT SPECIFICATIONS

COLOUR	FORMAT	GRADE	CODE	DIMENSIONS (MM)	CORE
Driftwood Oak	Plank	Rustic	MW-D	32 x 200 x 3600	Polymer Resin Core
Vintage Oak	Plank	Rustic	MW-E	32 x 200 x 3600	Polymer Resin Core
Embered Oak	Plank	Rustic	MW-V	32 x 200 x 3600	Polymer Resin Core




WEATHERED OAK DECKING SPECIFICATION SHEET

LAST UPDATED NOVEMBER 2025 [8]

GRADE

Rustic

Rustic grade timber embraces the raw beauty of wood, featuring large knots, open cracks, and significant colour and grain variation. This grade captures the timber's natural essence, offering a more rugged texture and bold, organic aesthetic. Knots and cracks may be filled, creating a strong, character-driven look that brings depth and authenticity to any environment.







WEATHERED OAK DECKING SPECIFICATION SHEET

LAST UPDATED NOVEMBER 2025 [9]

COLOUR VARIATION





Subtle Colour Variation (Darker Colours, Prime and Light Feature Planks)

Darker colours, as well as prime and light feature planks, tend to have less colour variation. This is because the darker stains tend to mask any natural variations, creating a more uniform look across the planks. Prime and light feature planks are generally cleaner, with fewer natural imperfections or markings, making them more consistent in colour once the stain is applied. As a result, the overall appearance presents minimal differences between planks.

WEATHERED OAK DECKING SPECIFICATION SHEET LAST UPDATED NOVEMBER 2025 [10]

CARE & MAINTENANCE

REGULAR CLEANING

We recommend regularly removing dust and dirt using a hard bristle brush, broom, or a low-pressure washer.

Note: Pressure washers can be used carefully on your Millboard decking for cleaning and rinsing. We would recommend following the below guidelines:

- A PSI no greater than 2,000 should be used, with a 40-60 degree spread fan tip
- The head should always be kept around 300 mm away from the surface
- Please note that using pressure washers may increase the chance of screw holes becoming more visible
- Direct, prolonged, and intense contact could damage the surface of the boards

AS REQUIRED

We recommend cleaning your deck twice a year or as required. As an exterior product, Millboard will benefit from this periodic clean to remove any accumulated dust or dirt residue.

We recommend a thorough clean using a house wash:

- Wet the area with water 10-15 minutes before applying any cleaning solution.
- Spread foaming cleaner onto the Millboard deck to help lift dirt out of the grain. Our preferred regular cleaner for Millboard is Wet & Forget Double Bubble House Wash.
- Using a hard bristle brush or broom, scrub the surface of the Millboard to loosen any dust and dirt. We recommend the Browns Superior Deck Scrub.
- Thoroughly rinse off the house wash solution using a hose or low pressure washer. Ensure all the solution is washed off and avoid letting it dry on the surface.
- Always read the manufacturer's instructions and safety information provided. Test all cleaning methods and solutions in an inconspicuous area first before applying.

CARE & MAINTENANCE GUIDE





WEATHERED OAK DECKING SPECIFICATION SHEET

LAST UPDATED NOVEMBER 2025 [11]

STRUCTURAL WARRANTY

RESIDENTIAL	Millboard Decking 25 Year Residential Structural Warranty
	The Enhanced Grain Collection comes with a full 25 year Residential Structural Warranty. For full warranty T&Cs, please visit www.forte.co.nz
COMMERCIAL	Millboard Decking 10 Year commerical Structural Warranty
	The Enhanced Grain Collection comes with a full 10 year Commercial Structural Warranty. For full warranty T&Cs, please visit www.forte.co.nz



