

BPIR - Forté Timber Overlay Flooring System

Collection	Scope	Construction	Certifications	Formats Available	Plank Dimensions	Compliance Statement
/loft	Budget-friendly and durable, ideal for commercial spaces, large-scale projects, and busy homes, providing affordability without compromising quality.	2-Layer Engineered European Oak Veneer Eucalypt Plywood Base	FSC certified E0 Low Voc	193mm Plank	12/2 x 193 x 1820mm	Refer to PASS Certificate #19240
/urban	Combines affordability with the beauty of real timber, suitable for renovations and new builds, offering an authentic timber aesthetic at an affordable pricepoint.	3-Layer Engineered European Oak Veneer Hevea Core Spruce Backing	CodeMark PEFC Certified E0 Low Voc	190mm Plank	14/3 x 190 x 1830mm	Refer to Codemark Certificate #CMNZ70143
/moda	Versatile collection for a range of residential and commercial projects, with customisable options including different plank widths and herringbone patterns, offering flexibility in design.	2-Layer Engineered European Oak Veneer Eucalypt Plywood Base	CodeMark PEFC Certified E0 Low Voc	220mm Plank 138mm Plank Herringbone	15/4 x 220 x 2190mm 15/4 x 138 x 2190mm 15/4 x 138 x 690mm	Refer to Codemark Certificate #CMNZ70143
/smartfloor	Reliable choice for residential settings, providing a traditional aesthetic with low maintenance, complementing classic interior styles and offering a timeless look.	2-Layer Engineered European Oak Veneer Eucalypt Plywood Base	FSC on request E0 Low Voc	190mm Plank Herringbone Chevron	15/4 x 190 x 2200mm 15/4 x 120 x 600mm 15/4 x 120 x 600mm	Refer to PASS Certificate #19240
/indus	Premium choice for design-oriented projects, suited for high-end residential and commercial spaces, enhancing the luxurious feel with modern hues and wide planks.	2-Layer Engineered European Oak Veneer Meranti Plywood Base	FSC on request E0 Low Voc	240mm Plank Herringbone	18/4 x 240 x 2400mm 18/4 x 120 x 600mm	Refer to PASS Certificate #19240
/atelier	Versatile and sophisticated colours, suitable for high-end residential spaces, offering custom options for unique rustic charm and contemporary elegance.	2-Layer Engineered European Oak Veneer Eucalypt Plywood Base	FSC on request E0 Low Voc	220mm Plank 260mm Plank Herringbone Chevron	15/4 x 220 x 2200mm 21/6 x 260 x 2200mm 15/4 x 120 x 600mm 15/4 x 138 x 690mm	Refer to PASS Certificate #19240
/ultra	Robust collection for residential and commercial spaces requiring top-quality flooring, featuring a 6mm veneer for luxury and longevity.	2-Layer Engineered European Oak Veneer Eucalypt Plywood Base	FSC on request E0 Low Voc	190mm Plank	21/6 x 190 x 1900mm	Refer to PASS Certificate #19240
/artefact	A luxury collection for residential projects, featuring rustic grade engineered timber that encompasses a plethora of natural colour and grain variation.	2-Layer Engineered European Oak Veneer Birch Plywood Base	FSC on request E0 Low Voc	220mm Plank Herringbone	15/4 x 220 x 2200mm 15/4 x 135 x 600mm	Refer to PASS Certificate #19240
/villa	Provides a bold, rustic aesthetic, making it a premium choice for high-end residential and commercial projects, showcasing a distinct rough sawn texture and character-filled look.	2-Layer Engineered European Oak Veneer Meranti Plywood Base	FSC on request E0 Low Voc	240mm Plank Herringbone	18/4 x 240 x 2400mm 18/4 x 120 x 600mm	Refer to PASS Certificate #19240
/artiste GRANDE	A luxurious collection for those seeking the authentic texture of natural timber, featuring rustic aged wide planks for a vintage aesthetic in high-end residential projects.	2-Layer Engineered European Oak Veneer Birch Plywood Base	FSC on request E0 Low Voc	250mm Plank Herringbone Chevron	19/5 x 250 x 2500mm 19/5 x 120 x 720mm 19/5 x 120 x 600mm	Refer to PASS Certificate #19240

Designated Building Product: Class 1.

Declaration:

Forté has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Manufacturer & Importer

forté

Innovate Group Limited
T/A Forté
3 Keith Place
Pukekohe, Auckland 2120
New Zealand

info@forte.co.nz
0508 35 66 77
https://forte.co.nz

NZBN: 9429037322212

Relevant NZBC Clauses

Clause B2 Durability: Performance Clauses B2.3.1(c)

Clause C3 Fire affecting areas beyond the fire source: Performance Clauses C3.4(b)

Clause D1 Access routes: Performance Clauses D1.3.3(d)

Clause E3 Internal moisture: Performance Clauses E3.3.3, E3.3.5, E3.3.6

Clause F2 Hazardous building materials: Performance Clauses F2.3.1

Product Use Limitations

The Forté Timber Overlay Flooring System as per the Installation Guide is designed for use as non-structural overlay flooring inside residential and commercial buildings.

For more information on limitations of use, please refer to 'Section 1. Scope of Use' in the Forté Timber Overlay Flooring System Design Guide.

Compliance Statement:

The Forté Timber Overlay Flooring System is prefinished timber overlay flooring supplied in planks of 14mm-15mm in thicknesses, 138mm-220mm in widths and 1830mm-2190mm in lengths, depending on the "Collection" type, and adhered to an appropriate structural floor substrate. For more information, please refer to our CodeMark Product Certificate and Timber Overlay Flooring System PASS Certificate

Relevant Guides and Manuals

[Design Guide](#)

[Installation Guide](#)

[Care and Maintenance Guide](#)

[All Resources](#)

Warning or Ban (Building Act 2004 section 26)

Not applicable

COLLECTION	COLOUR	FORMAT	GRADE	CODE	COLLECTION	COLOUR	FORMAT	GRADE	CODE	COLLECTION	COLOUR	FORMAT	GRADE	CODE	
Loft	Astoria	Plank	Feature	LO-AFP	Smartfloor	Clay Oak	Plank	Feature	SCOF220	Ultra	Marbled Oak	Plank	Prime	UL-MPP-190	
	Brighton	Plank	Feature	LO-BTFP				Light Feature	SCO220		Bordeaux Oak	Plank	Feature	UL-BFP-190	
	Brooklyn	Plank	Feature	LO-BFP			Herringbone	Light Feature	SCOHB120		Champagne Oak	Plank	Prime	UL-CPP-190	
	Claremont	Plank	Feature	LO-CFP			Chevron	Light Feature	SCOC120		Tussock Oak	Plank	Feature	UL-TFP-190	
	Harlem	Plank	Feature	LO-HFP		Natural Oak	Plank	Feature	SNOF190		Driftwood Oak	Plank	Feature	UL-DFP-190	
	Manhattan	Plank	Feature	LO-MFP				Light Feature	SNO190		Mink Grey Oak	Plank	Feature	UL-MGFP-190	
	Soho	Plank	Feature	LO-SFP			Herringbone	Light Feature	SNOHB120		Marron Oak	Plank	Feature	UL-MFP-190	
	Stamford	Plank	Feature	LO-SFFP		Tawny Oak	Plank	Feature	STO220		Artefact	Ammonite	Plank	Rustic	ART-AMMRP
	Tribeca	Plank	Feature	LO-TFP			Herringbone	Light Feature	STOHB120				Herringbone	Rustic	ART-AMMRH
					Chevron	Light Feature	STOC120	Amulet	Plank	Rustic		ART-AMURP			
Urban	Copenhagen	Plank	Feature	UR-CFP	Sandstone	Plank	Feature	SBOF190		Herringbone		Rustic	ART-AMURH		
			Prime	UR-CPP		Marron Oak	Plank	Feature	SMO190	Flint		Plank	Rustic	ART-FLRP	
	Berlin	Plank	Feature	UR-BEFP				Herringbone	Feature	SMOHB120			Herringbone	Rustic	ART-FLRH
	Milan	Plank	Feature	UR-MFP	Indus	Mojave	Plank	Feature	IN-MFP	Obsidian	Plank	Rustic	ART-ORP		
	New York	Plank	Feature	UR-NYFP				Prime	IN-MPP			Herringbone	Rustic	ART-ORH	
	Prague	Plank	Feature	UR-PFP		Kharan	Plank	Feature	IN-KFP	Villa	Cashmere	Plank	Rustic	VI-CRSP	
	Barcelona	Plank	Feature	UR-BAFP		Atacama	Plank	Feature	IN-AFP			Herringbone	Rustic	VI-CRSH	
	Oslo	Plank	Feature	UR-OFP				Prime	IN-APP		Limestone	Plank	Rustic	VI-LRSP	
Toyko	Plank	Feature	UR-TFP			Herringbone	Light Feature	IN-AFH		Herringbone	Rustic	VI-LRSH			
Seoul	Plank	Feature	UR-SFP	Sahara		Plank	Feature	IN-SFP	Dune	Plank	Rustic	VI-DRSP			
Moda Vita	Amalfi	Plank	Feature	MOV-AFP		Colorado	Herringbone	Light Feature	IN-SFH		Herringbone	Rustic	VI-DRSH		
	Capri	Plank	Feature	MOV-CAFP		Plank	Feature	IN-CFP	Russet	Plank	Rustic	VI-RURSP			
			Herringbone	Light Feature	MOV-CALFH	Patagonia	Plank	Feature		IN-PFP		Herringbone	Rustic	VI-RURSH	
							Herringbone	Light Feature	IN-PFH	Raven	Plank	Rustic	VI-RRSP		
	Como	Plank	Feature	MOV-CFP	Atelier	Dolomite	Plank-220	Rustic	AT-DRP15		Herringbone	Rustic	VI-RRSH		
	Mondello	Plank	Feature	MOV-MFP				Plank-260	Rustic	AT-DRP21	Artiste Grande	Picasso	Plank	Rustic	AG-PRP
			Herringbone	Feature			MOV-MFH		Herringbone	Rustic		AT-DRH15		Herringbone	Rustic
	Sorrento	Plank	Feature	MOV-SFP		Siltstone	Plank-220	Rustic	AT-SRP15			Chevron	Rustic	AG-PRC	
							Plank-260	Rustic	AT-SRP21	Da Vinci	Plank	Rustic	AG-DVRP		
	Herringbone	Light Feature	MOV-SLFH			Herringbone	Rustic	AT-SRH15			Herringbone	Rustic	AG-DVRH		
Verona	Plank	Feature	MOV-VFP	Classic		Plank-220	Rustic	AT-CRP15			Chevron	Rustic	AG-DVRC		
							Plank-260	Rustic	AT-CRP21	Van Gogh	Plank	Rustic	AG-VGRP		
Tuscany	Plank	Feature	MOV-TFP				Herringbone	Rustic	AT-CRH15			Herringbone	Rustic	AG-VGRH	
Isola	Plank	Feature	MOV-IFP	Marl	Plank-220	Rustic	AT-MRP15		Chevron		Rustic	AG-VGRC			
Dolcedo	Plank	Feature	MOV-DFP			Plank-260	Rustic	AT-MRP21	Vermeer	Plank	Rustic	AG-VRP			
		Herringbone	Feature		MOV-DFH		Herringbone	Rustic		AT-MRH15		Herringbone	Rustic	AG-VRH	
Smartfloor	Blond Oak	Plank	Feature	SBOF190	Granite	Plank-220	Rustic	AT-GRP15			Chevron	Rustic	AG-VRC		
			Light Feature	SBO190			Plank-260	Rustic	AT-GRP21						
			Herringbone	Light Feature		SBOHB1290		Herringbone	Rustic	AT-GRH15					

BPIR - Forté Wall Panelling

Collection	Scope	Construction	Certifications	Formats Available	Plank Dimensions	Compliance Statement
/muuro	Muuro is an elegant interior panelling collection that is straightforward, inexpensive and easy to install. With minimal wood knots and markings, Muuro's flawless surface provides a streamlined and sophisticated nature.	3-Layer Engineered European Oak Veneer HDF Core European Oak Backing	PEFC® Certified E0 Low Voc	125mm Plank	10/0.6 x 125 x 2700mm	Refer to PASS Certificate #19269
/tactile	The Tactile Collection is a sophisticated wall and ceiling panelling range for those seeking an exclusive, luxury ambience within their space.	2-Layer Engineered European Oak Veneer Eucalypt Plywood Base	E0 Low Voc	240mm Plank	15/4 x 240 x 2200mm	Refer to PASS Certificate #19269
/salvare	Salvare is a reclaimed collection of wall panelling recycled from old houses, barns and fences in one of Europe's wildest and most untouched areas in Transylvania.	2-Layer Engineered European Oak Veneer Eucalypt Plywood Base	E0 Low Voc	150mm Plank 100mm Lamella 140mm Lamella 180mm Lamella	17/5 x 150 x 1000-2200mm 7 x 100 x 500-2200mm 7 x 140 x 500-2200mm 7 x 180 x 500-2200mm	Refer to PASS Certificate #19269
/imondi	Recycled from old barns in Europe and America, the Imondi range is hand-crafted from genuine reclaimed timber and repurposed into rustic and textured planks.	2-Layer Engineered European Oak Veneer Plywood Base	FSC on request E0 Low Voc	15mm Plank 21mm Plank	15/4 x 95-135 x 400-2200mm 21/6 x 50-230 x 400-2200mm	Refer to PASS Certificate #19269

COLLECTION	COLOUR	FORMAT	GRADE	CODE	COLLECTION	COLOUR	FORMAT	GRADE	CODE
Muuro	Buff	Plank	Clear	MU-BCP	Salvare	White Distressed Spruce	Plank	Rustic	SA-WDSP
	Fresco	Plank	Clear	MU-FCP		Natural Spruce	Plank	Rustic	SA-NSP
	Sienna	Plank	Clear	MU-SCP			Lamella	Rustic	SA-NSL
	Sabel	Plank	Clear	MU-SACP		Silvered Spruce	Plank	Rustic	SA-SSP
	Noir	Plank	Clear	MU-NCP			Lamella	Rustic	SA-SSL
Tactile	Loft White	Plank	Feature	TA-LWRSP-SL	Charred Spruce	Plank	Rustic	SA-CSP	
	Ebony	Plank	Feature	TA-ERSP	Imondi	Brownstone Oak	Plank	Feature	SBOF190
						Weathered Oak	Plank	Feature	IM-WSP

Designated Building Product: Class 1.

Declaration:

Forté has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Manufacturer & Importer

forté

Innovate Group Limited
T/A Forté
3 Keith Place
Pukekohe, Auckland 2120
New Zealand

info@forte.co.nz
0508 35 66 77
https://forte.co.nz

NZBN: 9429037322212

Relevant NZBC Clauses

Clause B1 Structure: B1.3.1, B1.3.2, B1.3.3(a, j, q), B1.3.4

Clause B2 Durability: Performance Clauses B2.3.1(c)

Clause C3 Fire affecting areas beyond the fire source: C/AS2

Clause F2 Hazardous building materials: Performance Clauses F2.3.1

Product Use Limitations

Forté Interior Timber Panelling is a non-structural engineered panelling system for use internally as a decorative, non-structural wall or ceiling lining.

For more information on limitations of use, please refer to the Forté Interior Timber Panelling PASS

Compliance Statement:

For more information, please refer to the Forté Interior Timber Panelling PASS

Relevant Guides and Manuals



[Design & Installation Guide](#)

[Care and Maintenance Guide](#)

Warning or Ban (Building Act 2004 section 26)

Not applicable

BPIR - Forté Millboard Decking

Collection	Scope	Construction	Certifications	Formats Available	Plank Dimensions	Compliance Statement
 ENHANCED GRAIN	A premium range of decking, hand-moulded from real prime grade oak timber, creating an authentic, clean look and feel.	Composite	E1 Low Voc	176mm Plank 200mm Plank	32 x 176 x 3600mm L 32 x 200 x 3600mm L	Refer to PASS Certificate #19239
 WEATHERED OAK	Hand-moulded from 100-year-old reclaimed oak timber, giving the appearance and texture of real wood while providing a distinctive time-worn look.	Composite	E1 Low Voc	176mm Plank 200mm Plank	32 x 176 x 3600mm L 32 x 200 x 3600mm L	Refer to PASS Certificate #19239

COLLECTION	COLOUR	FORMAT	GRADE	CODE
Millboard Enhanced Grain	Limed Oak	Plank	Prime	ME-L
	Golden Oak	Plank	Prime	ME-G
	Smoked Oak	Plank	Prime	ME-S
	Brushed Basalt	Plank	Prime	ME-BB
Millboard Weathered Oak	Driftwood Oak	Plank	Prime	MW-D
	Vintage Oak	Plank	Prime	MW-V
	Embered Oak	Plank	Prime	MW-E

Designated Building Product: Class 1.	
Declaration: Forté has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.	
Manufacturer	Importer
The Millboard Company Limited	forté
Unit A Castle Court, Bodmin Road, Coventry, CV2 5DB	Innovate Group Limited T/A Forté 3 Keith Place Pukekohe, Auckland 2120 New Zealand
https://millboard.com/	info@forte.co.nz 0508 35 66 77 https://forte.co.nz
	NZBN: 9429037322212
Relevant NZBC Clauses	
Clause B1 Structure: Alternative Solution - Clauses B1.3.1, B1.3.2, B1.3.3 (a, b, c, e, f, j, m, & q)	
Clause B2 Durability: Alternative Solution - Clauses B2.3.1(b)	
Clause D1 Access routes: Alternative Solution - Clauses D1.3.3(d)	
Clause F2 Hazardous building materials: Alternative Solution - Clauses F3.2.1	
Product Use Limitations	
Millboard Decking as per the Product Assurance Supplier Statement (PASS) is designed for outdoor use as non-structural external decking. For more information on limitations of use, please refer to 'Scope and Limitations of Use' in the Millboard Product Assurance Supplier Statement (PASS).	
Compliance Statement:	
Millboard Product Assurance Supplier Statement (PASS).	
Relevant Guides and Manuals	
Care and Maintenance Guide	Installation Guide
Warning or Ban (Building Act 2004 section 26)	
Not applicable	