

Contact us

0508 35 66 77 info@forte.co.nz forte.co.nz

Visit a Showroom

Auckland Showroom

Evoque – 373 New North Road, Kingsland Open Mon-Fri 9am-5pm auckland@forte.co.nz

Wellington Showroom

Ground Floor, The Woolstore 262 Thorndon Quay, Pipitea Open Mon–Fri 9am–5pm / Sat 10am–3pm wellington@forte.co.nz

Queenstown Showroom

313 Hawthrone Drive, Frankton
Open Mon-Fri 9am-5pm / Sat 10am-3pm
queenstown@forte.co.nz

Pukekohe Showroom (Head Office)


3 Keith Place, Pukekohe Open Mon-Fri 7.30am-5pm info@forte.co.nz

Follow us

Instagram – @forteflooring Facebook – @forteflooringnz

Order samples

www.forte.co.nz





Sample Service

Whether you're a homeowner sourcing flooring for a new build or renovation, or an architect or designer looking at options for a project – a personalised Forté sample box is the perfect way to take the stress out of selecting materials for your project.

ORDER FREE SAMPLES

To request your free samples:

Wisit us online at forte.co.nz

Call us on **0508 35 66 77**

Email us at info@forte.co.nz

We aim to dispatch all sample orders within 1 working day. Once your sample order has been dispatched you will receive an email from our courier provider with your tracking details.

ONCE YOU RECEIVE YOUR SAMPLE BOX

Have questions? If you have questions about the products or need help choosing, we are here to help.

We recommend visiting your nearest Forté Showroom, call us on 0508 35 66 77 or email us at info@forte.co.nz

I've chosen my product/s - what's next?

Visit **forte.co.nz/how-to-order** for a checklist and details about how to order your Forté floor.



moda/

The Moda Collection is at once on-trend and timeless. A curated collection of pre-finished engineered timber flooring inspired by unforgettable Italian destinations, Moda's colour hues depict the warm sunsets of the Amalfi Coast to the cobblestoned streets of Como. Its unique SilkMatte finish looks and feels 'untouched' and 'raw' like an oil, but with added durability and repairability.

Crafted in Europe from sustainably certified European Oak, Moda is eco-friendly both in the way it is produced and sourced. It is suitable to be used as flooring, wall panelling and ceilings.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 16mm – including 4mm wear layer

Width 190mm 2100mm Length

Species European Oak FSC® Certified

Joint Profile Tongue and Groove Approx. 2 – 3 times Re-sanding

Underfloor Heating Compatible with hydronic systems, and electric systems set in screed

Installation Method Glue down (double stick for multi-level)

Also Available 300mm planks, herringbone, chevron, stair nosing, reducers



Sorrento


Amalfi











Como




Isola











moda/Patterns

Herringbone and Chevron patterns are timeless and stylish, and are so versatile they can be used for both traditional or modern designs. The Moda Collection provides the ever popular herringbone pattern in 3 stylish colours, and a chevron pattern in 2 colours.

Crafted in Europe from sustainably certified European Oak, Moda is eco-friendly both in the way it is produced and sourced. It is suitable to be used as flooring, wall panelling and ceilings.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

HERRINGBONE

Total Thickness 16mm – including 4mm wear layer

Width 127mm Length 635mm

Species European Oak FSC® Certified

Joint Profile Tongue and Groove Re-sanding Approx. 2 – 3 times

Underfloor Heating Compatible with Hydronic systems, and Electric systems set in screed

Installation Method Glue down (double stick for multi-level)

Also Available 190mm planks, 300mm planks, chevron, stair nosing, reducers



Capri Herringbone



Dolcedo Herringbone



Sorrento Herringbone

CHEVRON

Total Thickness 16mm – including 4mm wear layer

Width 127mm Length 548mm

Species European Oak FSC® Certified

Joint Profile Tongue and Groove Re-sanding Approx. 2 – 3 times

Underfloor Heating Compatible with Hydronic systems, and Electric systems set in screed

Installation Method Glue down (double stick for multi-level)

Also Available 190mm planks, 300mm planks, herringbone, stair nosing, reducers



Como Chevron (custom order)



Dolcedo Chevron





artiste

At a total thickness of 20mm including a 5.5mm extra thick wear layer, Artiste's 250mm extra wide plank is available in 5 warm, contemporary colours inspired by some of history's greatest artists.

Artiste's rustic grade smoked Oak surfaces are deeply brushed to reveal the natural wood grain, and knots and tonal differences are given space to shine. Together with an undulating surface and original saw-markings, Artiste has a look reminiscent of hand-cut timber from days gone by.

The Artiste Collection is engineered and pre-finished with a durable Italian lacquer, which looks and feels like a natural oil with improved moisture and wear resistance. It is suitable to be used as flooring, wall panelling and ceilings.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 20mm – including 5.5mm wear layer

Width 250mm

Length 2480mm, 2205mm

Species Smoked European Oak*

Joint Profile Tongue and Groove

Re-sanding Approx. 4 – 5 times

Underfloor Heating 250mm planks are not compatible with Underfloor Heating systems.

Artiste 220mm planks (available by custom order) are compatible with

Hydronic Systems

Installation Method Glue down (double stick for multi-level)
Also Available Herringbone, Chevron, and stair nosing

*Monet, Da Vinci, Van Gogh and Vermeer are Smoked European Oak. Picasso is European Oak (but has not been smoked).











Monet

Da Vinci





Van Gogh

Vermeer

artiste Patterns

Herringbone and Chevron patterns are timeless and stylish, and are so versatile they can be used for both traditional or modern designs. The Artiste Collection provides herringbone and chevron patterns in each of its 5 colours (custom order).

Artiste's rustic grade smoked Oak surfaces are deeply brushed to reveal the natural wood grain, and knots and tonal differences are given space to shine. Together with an undulating surface and original saw-markings, Artiste has a look reminiscent of hand-cut timber from days gone by.

The Artiste Collection is engineered and pre-finished with a durable Italian lacquer, which looks and feels like a natural oil with improved moisture and wear resistance. It is suitable to be used as flooring, wall panelling and ceilings.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

HERRINGBONE

Total Thickness 20mm – including 6mm wear layer

Width 120mm Length 600mm

Species Smoked European Oak*

Joint Profile Tongue and Groove

Re-sanding Approx. 4 – 5 times

Underfloor Heating Compatible with Hydronic Systems

Installation Method Glue down (double stick for multi-level)

Also Available 250mm plank, chevron, and stair nosing



Picasso Herringbone



Monet Herringbone



Da Vinci Herringbone



Van Gogh Herringbone



Vermeer Herringbone

CHEVRON

Total Thickness 20mm – including 6mm wear layer

Width 100mm Length 700mm

Species Smoked European Oak*

Joint Profile Tongue and Groove

Re-sanding Approx. 4 – 5 times

Underfloor Heating Compatible with Hydronic Systems

Installation Method Glue down (double stick for multi-level)

Also Available 250mm plank, herringbone, and stair nosing



Picasso Chevron



Monet Chevron



Da Vinci Chevron



Van Gogh Chevron



Vermeer Chevron

*Monet, Da Vinci, Van Gogh and Vermeer are Smoked European Oak. Picasso is European Oak (but has not been smoked).







Urban

The Urban Collection provides the ideal balance between quality, style and cost effectiveness. It has a total thickness of 14mm with a 3mm wear layer, and a hard-wearing extra-matte finish that requires minimal maintenance.

Urban is available in 5 unique colours reflecting European trends and is adaptable to many interiors. It is suitable to be used as flooring, wall panelling and ceilings.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 14mm – including 3mm wear layer

Width 190mm Length 1830mm

Species French Oak PEFC™ Certified

Joint Profile Valinge 5G Locking

Re-sanding Approx. 1 – 2 times

Underfloor Heating Compatible with Hydronic systems

Installation Method Glue down (preferred), double stick for multi-level, or floating

(not recommended)












IOK



Ultra

The Ultra Collection is designed with maximum stability and longevity in mind. The collection has a 21mm engineered construction including a 6mm wear layer, and can be sanded back 4-5 times over its lifetime.

Ultra is available in 7 trending colours and is pre-finished with Forté's exclusive PureMatte lacquer, which provides a hard-wearing matte finish which requires minimal maintenance. Due to its thickness, Ultra is best suited as flooring.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 21mm – including 6mm wear layer

Width 189mm Length 1900mm

Species European Oak

Joint Profile Tongue and Groove

Re-sanding Approx. 4 – 5 times

Underfloor Heating Compatible with Hydronic systems, and Electric Systems set in screed

Installation Method Glue Down
Also Available Stair nosing







Champagne Oak



Bordeaux Oak



Tussock Oak



Driftwood Oak



Mink Grey Oak



Marron Oak



Atelier

Crafted from European Oak, Atelier features wide and long planks in a rustic grade with gentle brushing on the surface.

Atelier is supplied pre-finished with a beautiful raw-look lacquer which provides a substantial level of scratch-resistance and durability. It is coloured using a special ageing stain, which reacts with the natural tannins in the timber to produce a unique and authentic aged look.

Atelier is suitable to be used as flooring, wall panelling and ceilings.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

 Total Thickness
 15mm or 21mm

 Wear Layer
 4mm or 6mm

 Width
 220mm or 260mm

Length 2200mm

Species European Oak
Joint Profile Tongue and Groove
Re-sanding Approx. 2 – 3 times

Underfloor Heating Compatible with Hydronic systems, or Electric systems

set in screed

Installation Method Glue down (double stick for multi-level)

Also Available Stair nosing



Classic

Imondi

Recycled from old barns in Europe and America, the Imondi range is hand-crafted from genuine reclaimed timber and repurposed into rustic and textured planks. The finished products introduce an element of nature, depth and texture to interiors whilst infusing a spirit of history and creativity.

Imondi is suitable to be used as flooring and wall panelling.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 15mm (brownstone is 21mm)

Wear Layer 4mm (brownstone is 6mm)

Width Various

LengthVarious (400 – 2200mm)SpeciesEuropean Oak or PineJoint ProfileTongue and GrooveUnderfloor HeatingCompatible with most

Installation Method Glue Down

Sustainability FSC® and LEED® Certified








Weathered Oak



Pine Raw





Salvare Panelling

Salvaged from old houses, barns and fences in Transylvania, the Salvare Collection offers a highly sustainable option for interiors.

Once carefully recovered from old structures, the beams and boards are meticulously reworked into wall panels, retaining tremendous amounts of genuine history and character. The planks are everso-gently brushed and treated ensuring the original surface is not compromised and allowing the timber's alluring narrative to be captured and preserved within each plank.

Salvare planks are suitable to be used as wall panelling and ceilings.

A generous 25-year residential and a 5-year commercial warranty is available with Salvare Planks.

Total Thickness 17mm

Wear Layer 5mm

Width 150mm

Length 2200mm

Species Reclaimed Spruce

Joint Profile Tongue and Groove (4 sides)

Installation Method Glue and pin



Natural Spruce



Silvered Spruce



White Distressed



Charred







Salvare Lamella

Salvaged from old houses, barns and fences in Transylvania, the Salvare Collection offers a highly sustainable option for interiors.

Salvare Lamella is made from genuine reclaimed Spruce and supplied unfinished. It is available in mixed width 7mm strips, designed for direct fixing to interior surfaces. It provides a cost-effective solution to feature interior walls.

Salvare lamellas are suitable to be used as wall panelling, ceilings and timber joinery.

Total Thickness 7mm

Width Mixed 100mm, 140mm, 180mm

Length Mixed 1000mm – 2350mm, 500mm – 2200mm


SpeciesReclaimed SpruceJoint ProfileButt join (4 sides)Installation MethodGlue and pin



Natural Spruce



Silvered Spruce





Imondi

Recycled from old barns in Europe and America, the Imondi range is hand-crafted from genuine reclaimed timber and repurposed into rustic and textured planks. The finished products introduce an element of nature, depth and texture to interiors whilst infusing a spirit of history and creativity.

Imondi is suitable to be used as flooring and wall panelling.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 15mm (brownstone is 21mm)

Wear Layer 4mm (brownstone is 6mm)

Width Various

LengthVarious (400 – 2200mm)SpeciesEuropean Oak or PineJoint ProfileTongue and GrooveUnderfloor HeatingCompatible with most

Installation Method Glue Down

Sustainability FSC® and LEED® Certified







Weathered Oak



Pine Raw



Tactile

The Tactile Collection provides unique, saw-marked textural planks in 2 striking colours that will instantly become a feature in any interior.

Tactile is crafted from European Oak and comes pre-finished with an oil finish. It is suitable to be used as wall panelling and ceilings.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 15mm Wear Layer 4mm Width 240mm Length 2200mm Species European Oak Joint Profile Tongue and Groove


Installation Method Glue Down





Loft White Ebony





Millboard Decking

Enhanced Grain Collection

Premium wood-free decking and cladding, hand-moulded from genuine timber planks, recreating the subtle nuance of natural wood. The Millboard Enhanced Grain collection features 6 modern colours that can be paired with Forté's extensive timber range to create a seamless indoor/outdoor flow.

Millboard is stain free, and fade and slip resistant, resulting in a deck that requires little to no maintenance.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 32mm
Width 176mm
Length 3600mm

Construction Mineral-based with highly durable polyurethane lastane layer

Coverage 1.54 lengths per m²

Installation Durafix® hidden screw system

Edging Matching square edging and fascia board available







Limed Oak



Smoked Oak




Golden Oak



Burnt Cedar



Brushed Basalt



Millboard Decking

Weathered Collection

Premium wood-free decking and cladding, hand-moulded from 100-year old reclaimed weathered Oak. The Millboard Weathered Oak collection features 3 rustic and aged looking colours that can be paired with Forté's extensive timber range to create a seamless indoor/outdoor flow.

Millboard is stain free, and fade and slip resistant, resulting in a deck that requires little to no maintenance.

A generous 25-year residential and a 5-year commercial warranty is available with this Collection.

Total Thickness 32mm
Width 200mm
Length 3600mm

Construction Mineral-based with highly durable polyurethane lastane layer

Coverage 1.36 lengths per m²

Installation Durafix® hidden screw system

Edging Matching square edging and fascia board available








Driftwood Oak Vintage Oak Embered Oak





forté

Auckland Showroom 373 New North Road, Kingsland, Auckland

Queenstown Showroom 313 Hawthorne Drive, Frankton, Queenstown Wellington Showroom 262 Thorndon Quay, Pipitea, Wellington

Pukekohe Showroom (Head Office) 3 Keith Place, Pukekohe, Auckland Find us on social media:



@forteflooring

forte.co.nz info@forte.co.nz 0508 35 66 77