

millboard®

Live. Life. Outside.

A premium UK-made decking product which is changing the face of decking as we know it.

Species	Oak Look
Sustainability	Environmentally Friendly
Grade	Prime or Reclaimed
Texture	Brushed or Reclaimed Rustic



COLLECTION

Millboard is a premium UK-made decking product which is changing the face of decking as we know it. Millboard decking is made from a revolutionary Polyurethane resin, reinforced with mineral fibres, which retains the beautiful look and feel of wood, but without the maintenance needed to keep it that way.

Each decking board is moulded from carefully selected oak samples that showcase the beauty of natural wood grain, then hand-tinted by craftsmen for a perfect real-wood look. The result is decking that is virtually indistinguishable from wood in appearance, but far superior in performance. It doesn't rot or warp, and its UV stability resists fading. With no wood content, there's nothing to encourage algal growth either.


To add to its easy-to-live-with qualities, each board has a Lastane® surface layer which is both non-porous – so spills don't leave stains – and highly slip-resistant, even in the wet. There's no need to spend time applying expensive, often environmentally-unfriendly treatments to keep it looking beautiful.






FORMATS

Millboard Decking is available in two grades of planks with matching bullnose's, square edge's and fascia's.




ENHANCED GRAIN PLANK

Thickness	32mm
Width	176mm
Length	3600mm
Construction	Composite




WEATHERED PLANK

Thickness	32mm
Width	200mm
Length	3600mm
Construction	Composite




BULLNOSE

Thickness	32mm
Width	150mm
Length	3200mm
Construction	Composite



SQUARE EDGE

Thickness	33mm
Width	50mm
Length	3200mm
Construction	Composite




FASCIA

Thickness	16mm
Width	146mm
Length	3200mm
Construction	Composite

LIMED OAK



GOLDEN OAK




SMOKED OAK



BRUSHED BASALT



ANTIQUED OAK



DRIFTWOOD OAK



VINTAGE OAK



EMBERED OAK





Format	Grade	Code
LIMED OAK		
Plank	Prime	ME-L
Bullnose	Prime	MB-L
Square	Prime	MS-L
Fascia	Prime	MF-L

GOLDEN OAK		
Plank	Prime	ME-G
Bullnose	Prime	MB-G
Square	Prime	MS-G
Fascia	Prime	MF-G

SMOKED OAK		
Plank	Prime	ME-S
Bullnose	Prime	MB-S
Square	Prime	MS-S
Fascia	Prime	MF-S

BRUSHED BASALT		
Plank	Prime	ME-BB
Bullnose	Prime	MB-BB
Square	Prime	MS-BB
Fascia	Prime	MF-BB

ANTIQUÉ OAK		
Plank	Prime	ME-A
Bullnose	Prime	MB-A
Square	Prime	MS-A
Fascia	Prime	MF-A

Format	Grade	Code
DRIFTWOOD OAK		
Plank	Reclaimed	MW-D
Bullnose	Prime	MB-S
Square	Prime	MS-S
Fascia	Prime	MF-S

VINTAGE OAK		
Plank	Reclaimed	MW-V
Bullnose	Prime	MB-V
Square	Prime	MS-V
Fascia	Prime	MF-V

EMBERED OAK		
Plank	Reclaimed	MW-E
Bullnose	Prime	MB-BC
Square	Prime	MS-BC
Fascia	Prime	MF-BC

PRODUCT DETAILS

Species	Oak Look
Origin	United Kingdom
Grade	Prime or Reclaimed (Moulded from Real Timber)
Thickness	32mm
Construction	Composite
Core	Resin Mineral Composition
Surface Texture	Brushed or Reclaimed Rustic
Finish	Lastane®
Surface Sheen	Matte

INSTALLATION

Method	Durafix Fixing to Joist
Applications	Exterior Decking/Cladding/Other
Usage Classes	Residential/Commercial

STRUCTURAL WARRANTY

Residential	25 Years
Commercial	5 Years

SUSTAINABILITY

Carbon Footprint Verified	Yes
Greenhouse Gases ISO 14064-1	Verified (manufacturer) - 430g /CO2e per m ²
Environmental Management System (EMS) ISO 14001	Compliant (manufacturer)
Recycleable	Yes

TECHNICAL SPECIFICATIONS

Reaction to Fire	Floors: Critical Flux 8.6kw/m ² / Group 1S Walls/Ceilings: Not Rated
Taber Abrasion ISO 7784-2	261mg

FORMALDEHYDE EMISSION

EN717-1	E1
---------	----

SLIP RATINGS

AS/NZS 4586 Wet Test	Classification F, Mean COF 0.58
AS/NZS 4586 Dry Test	Classification W, Pendulum Mean 51 SRV

Find us on
Masterspec



View Collection
on our website



Auckland
299 Great North Road
Grey Lynn, Auckland

Christchurch
93 Manchester Street
Christchurch Central

Queenstown
179 Glenda Drive
Frankton, Queenstown

forte.co.nz
info@forte.co.nz
0508 35 66 77

forté